Safety Data Sheet: Collagen Casing

Version 2026 | Revision date: 2026-11-04 | Language: English

1. Identification

Product name	Collagen Casing
CAS No.	
Product type	Edible collagen-based tubular casing
Recommended use	Professional sausage manufacture.
Supplier	Hainan Zhongxin Chemical Co., Ltd.
Address	Room 1001, Building A, Caohejing Center, No. 1520 Gumei Road, Xuhui District, Shanghai, China.
Telephone / emergency	+86-21-54265599 (company contact, China office hours). For urgent medical assistance call local emergency services.
Website / email	www.zxchem.com / sales@zxchem.com.cn

2. Hazards Identification

GHS classification	
Signal word / pictograms	
Hazard codes	
Other safety information	Prevent contamination and prolonged contact with processing residues. Wet casing and spilled material can create a slip hazard.
Precautions	Avoid unintended exposure. Wear appropriate gloves and eye protection. Use ventilation and maintain good workplace hygiene.

3. Composition / Information on Ingredients

Ingredient / preparation	Animal collagen with humectants and other casing constituents
Concentration / specification	Protein >=48 g/100 g, dry basis; moisture 17-25%; fat 2-10%; humectants 13-16.5%. These are specification limits, not a complete formulation.
Other constituents	
Applicability	Rolled and shirred edible collagen casings. This sheet does not cover chemical cleaners, processing baths or smoke preparations.

4. First-Aid Measures	
Inhalation	Move to fresh air. Obtain medical attention for breathing difficulty or persistent symptoms.
Skin	Remove contaminated clothing and wash with water and mild soap. Seek medical advice for irritation or allergic symptoms.
Eyes	Rinse carefully with clean water for at least 15 minutes. Remove contact lenses if easy. Obtain medical attention for persistent symptoms.
Ingestion	Rinse mouth. Do not induce vomiting. Give nothing by mouth to an unconscious person. Obtain medical advice.
Symptoms / treatment	Prevent contamination and prolonged contact with processing residues. Wet casing and spilled material can create a slip hazard. Treatment is directed by a medical professional.

5. Fire-Fighting Measures	
Extinguishing media	Use water spray, foam, dry chemical or carbon dioxide appropriate to the surrounding fire. Avoid a forceful jet that spreads material.
Specific hazards	Prevent heat exposure and ignition; contain spilled material. Fire can release irritating smoke and carbon oxides.
Firefighter protection	Use self-contained breathing apparatus and protective clothing. Contain contaminated firefighting water.

6. Accidental Release Measures	
Personal / environmental	Keep unprotected people away. Avoid contact and airborne exposure. Prevent entry into drains, soil and waterways.
Containment / cleanup	Collect spilled casing in suitable clean containers; prevent slips and contamination.

7. Handling and Storage	
Handling	Use clean equipment and prevent contamination.
Storage	Keep unopened packs at 10-25 deg C and 50-70% relative humidity. Protect from contamination and package damage.
Incompatible materials	Strong oxidizing agents. Keep away from incompatible cleaning and processing chemicals.

8. Exposure Controls / Personal Protection	
Occupational exposure limits	
Engineering controls	Provide ventilation suitable for the task, with local extraction for dust or mist. Make eyewash facilities accessible.
Eye / skin protection	Wear safety goggles and suitable protective gloves and work clothing. Select glove material for the task and exposure.
Respiratory protection	Use a suitable approved respirator within a workplace protection program when ventilation does not control airborne exposure.
Hygiene	Wash after handling. Keep food and drink outside the handling area. Clean contaminated clothing before reuse.

9. Physical and Chemical Properties	
Physical state / appearance	Rolled and shirred tubular casing
Odour	Weak smoked or characteristic odor
pH	
Melting / freezing point	
Boiling point	
Flash point	
Flammability	
Density	
Solubility	
Vapour pressure	
Decomposition temperature	

10. Stability and Reactivity	
Reactivity / stability	Prevent excessive heating, contamination and contact with incompatible materials.
Conditions to avoid	Excessive heat, ignition and uncontrolled contamination.
Hazardous reactions	
Decomposition	Fire can produce carbon oxides and irritating smoke.

11. Toxicological Information	
Likely exposure routes	Inhalation of dust or aerosols; eye and skin contact; accidental ingestion.
Effects / precautions	Prevent contamination and prolonged contact with processing residues. Wet casing and spilled material can create a slip hazard.
Acute toxicity values	
CMR / repeated-dose data	

12. Ecological Information	
Ecotoxicity	
Persistence / bioaccumulation	
Mobility / PBT / vPvB	
Environmental precautions	Contain releases and cleanup residues. Do not discharge to drains or waterways.

13. Disposal Considerations	
Waste treatment	Collect waste and contaminated cleanup material. Use an authorized disposal route under local requirements. Do not discharge to drains.
Packaging	Empty containers may retain residues. Keep contaminated packaging separate and use an appropriate recovery or disposal route.

14. Transport Information	
UN number	
Proper shipping name	
ADR / RID class	
IMDG class	
IATA class	
Packing group	
Marine pollutant status	
Transport precautions	Keep packages closed and secure against leakage, contamination and damage. Blank transport fields do not establish an exemption from dangerous-goods requirements.

15. Regulatory Information	
Safety compliance	
Chemical safety assessment	
Use / restrictions	Apply the workplace, environmental, ingredient-use and import requirements of the intended market. No finished-product approval is asserted.

16. Other Information	
Version / revision date	2026 | 2026-11-04
Prepared by	ZXCHEM
Scope	Rolled and shirred edible collagen casings. This sheet does not cover chemical cleaners, processing baths or smoke preparations.
Limitations	Information applies to the identified material and stated form. Empty fields indicate no verified value is supplied and do not establish safety, regulatory compliance or shipping clearance. This sheet is not a batch certificate or a dangerous-goods declaration.